

---

# South Carolina Dhec Swimming Pool Regulations

---

*South Carolina Dhec  
Swimming Pool  
Regulations*

*Downloaded from  
[db.whlcarchitecture.com](http://db.whlcarchitecture.com)  
by Dillon & Jase*

---

## NAVIGATING THE WATERS: A COMPLETE GUIDE TO SOUTH CAROLINA DHEC SWIMMING POOL REGULATIONS

---

When the summer heat descends upon the Palmetto State, nothing offers more relief than a sparkling, well-maintained swimming pool. However, whether you are a homeowner installing a new backyard oasis, a commercial property developer, or a manager of a public aquatic facility, understanding the **South Carolina DHEC swimming pool regulations** is not just a legal necessity—it is a cornerstone of public health and safety. The South Carolina Department of Health and Environmental Control (DHEC) sets the standards that ensure every swimmer, from toddlers taking their first splash to competitive lap swimmers, enjoys a clean and safe environment. This comprehensive guide walks you through the critical aspects of these regulations, helping you stay compliant while providing a superior swimming experience.

The framework established by South Carolina DHEC is designed to prevent the spread of waterborne illnesses, reduce the risk of drowning and injuries, and maintain water quality standards. While the regulations can seem complex, breaking them down into key categories makes them far more manageable.

Whether you are building a new pool or managing an existing one, adherence to these rules protects your patrons and your reputation.

---

## UNDERSTANDING THE SCOPE OF SOUTH CAROLINA DHEC SWIMMING POOL REGULATIONS

---

The **South Carolina DHEC swimming pool regulations** apply to a wide range of facilities. It is crucial to understand how your specific pool type is classified, as requirements vary significantly between residential and commercial applications. The regulations primarily cover public and semi-public swimming pools, which include pools at hotels, apartment complexes, fitness centers, municipalities, water parks, and schools.

Private residential pools, those used solely by a single household, are generally not subject to the same rigorous DHEC permitting and inspection processes. However, homeowners planning a pool should still consult local building codes and consider DHEC standards as a benchmark for best practices. It is also important to note that the regulations cover not just swimming pools but also wading pools, spas, and interactive water features.

## Permitting and

# Plan Review: The First Step

Before a single shovel of dirt is turned, anyone planning a public or semi-public pool must submit detailed construction plans to DHEC for review and approval. This is a critical step within the **South Carolina DHEC swimming pool regulations**. The plan review ensures that the proposed pool meets all structural, hydraulic, and safety requirements before construction begins. You can expect to submit documents that include:

- Detailed site plans showing the pool location in relation to other structures and property lines.
- Hydraulic calculations for the recirculation and filtration system.
- Specifications for materials used in the pool shell, decking, and piping.
- A comprehensive layout of all safety features, including fencing, gates, and signage.
- Plans for the chemical feed and disinfection systems.

This review process is designed to catch potential problems early. Submitting incomplete or inaccurate plans can lead to costly delays. Once approved, a construction permit is issued, and regular inspections occur at critical stages of the build, such as during the installation of the plumbing and the final finishing, to ensure compliance with the approved plans.

---

## **WATER QUALITY STANDARDS: THE HEART OF COMPLIANCE**

---

Maintaining pristine water quality is arguably the most closely monitored

aspect of the **South Carolina DHEC swimming pool regulations**. The state sets clear, enforceable limits for various chemical parameters to prevent the transmission of recreational water illnesses (RWIs) and ensure swimmer comfort. The daily operational focus for any pool operator should revolve around these key metrics.

## Free Chlorine and pH Levels

The primary disinfection standard relies on free chlorine. For most public pools, DHEC requires a minimum free chlorine residual of 1.0 parts per million (ppm) and a maximum of 5.0 ppm, with an ideal range typically between 2.0 and 4.0 ppm. Balanced alongside chlorine is the pH level, which must be maintained between 7.2 and 7.8. A proper pH range is essential for swimmer comfort and to ensure the chlorine remains effective at killing bacteria and viruses. If the pH drifts too high, chlorine becomes significantly less potent.

## Cyanuric Acid and Stabilizer Limits

For outdoor pools that use stabilized chlorine (cyanuric acid is a common stabilizer that protects chlorine from sunlight degradation), DHEC regulations impose a strict maximum level. The concentration of cyanuric acid must not exceed 100 ppm. While stabilizer is helpful, high levels can "lock up" the chlorine, making it ineffective even if

test results show a proper residual. Pool operators must frequently test for this and may need to partially drain and refill the pool to lower the concentration if it gets too high.

## Clarity and Algae

Beyond chemical parameters, water clarity is a vital indicator of pool health. The **South Carolina DHEC swimming pool regulations** require that the pool drain, or the deepest point, be clearly visible from the deck. This is a practical safety measure to allow lifeguards and staff to spot a submerged swimmer in distress. Algae growth is also prohibited. A pool that appears hazy, green, or has visible algal growth will be cited during a DHEC inspection.

---

### FILTRATION AND RECIRCULATION SYSTEMS

---

A robust mechanical system is the backbone of any compliant public pool. DHEC regulations specify minimum turnover rates, which dictate how quickly the entire volume of pool water must pass through the filtration system. For most swimming pools, the required rate is a complete turnover every 6 hours. This means the pump and filter system must be sized and operated to process all the water within that timeframe. High-usage or high-bather-load facilities may even require a faster turnover.

Filters must be properly maintained and backwashed regularly to ensure efficient operation. DHEC inspectors will check the pressure gauges on the filters to confirm they are being cleaned according to a schedule. Furthermore, all recirculation piping must be correctly labeled and free from leaks. Any modifications to the system, such as a

pump upgrade, must be reviewed to ensure they do not negatively impact the turnover rate or hydraulic balance.

---

### STRUCTURAL AND SAFETY REQUIREMENTS

---

Ensuring the physical safety of swimmers is a primary objective of the regulations. Compliance involves multiple layers of physical barriers and safety equipment. The **South Carolina DHEC swimming pool regulations** are quite specific on these points.

## Barriers and Entrapment Prevention

Public pools must be enclosed by a barrier, typically a fence or wall, that is at least 4 feet high. Gates must be self-closing and self-latching, with the latch placed out of the reach of small children. A critical, non-negotiable safety element relates to anti-entrapment protection. All public pools and spas must have compliant drain covers and, unless exempted, a secondary anti-entrapment system (such as a Safety Vacuum Release System, or SVRS). These devices are designed to prevent the horrific scenario of a swimmer becoming trapped by the suction of a pool drain.

## Signage and Safety

## Equipment

Every public pool must display clear, durable signs. Required signage typically includes a "Pool Rules" sign listing prohibited behaviors (like running, diving in shallow water, and glass containers), a depth marking sign, and a "No Lifeguard on Duty" sign if applicable. In addition, Class A and Class B pools must have specific safety equipment readily accessible, which generally includes a reaching pole (at least 12 feet long), a ring buoy with a throw line, and a first aid kit. Some classifications may also require a backboard for spinal injury management.

## Depth Markers

Accurate and visible depth markings are required on the pool deck. These markings must indicate the depth of the water at that specific point, typically measured in both feet and meters. They are crucial for swimmers to assess risks before entering, especially when diving.

### **INSPECTIONS AND OPERATIONAL COMPLIANCE**

Once a pool is operational, the relationship with DHEC becomes ongoing. Routine inspections are conducted by DHEC environmental health specialists to ensure continuous compliance. These inspections can be announced or unannounced and cover every aspect of the **South Carolina DHEC swimming pool regulations**.

## Keeping an

## Accurate Log

One of the most important operational requirements is the maintenance of a daily operating log. This log must record chemical test results (at least three times per day for most public pools), any corrective actions taken, and records of maintenance activities (such as filter backwashing and drain cleaning). A diligent log is your first line of defense during an inspection. If an inspector finds a chemical imbalance, your log will show if you detected and addressed it promptly.

## Common Violations to Avoid

Understanding common pitfalls can help you avoid citations. Some of the most frequent violations include:

1. Low free chlorine residual.
2. Improper pH balance.
3. Inoperable or missing self-closing gate mechanisms.
4. Inadequate depth markers or missing safety signs.
5. Poor water clarity that obscures the main drain.
6. Missing or broken anti-entrapment drain covers.

By proactively addressing these areas, you can ensure a smooth inspection and a safe environment for swimmers. Penalties for non-compliance can range from a notice of violation to fines or even closure of the pool until issues are resolved.

---

## **SPECIAL CONSIDERATIONS FOR SPAS, WADING POOLS, AND WATER FEATURES**

---

The **South Carolina DHEC swimming pool regulations** provide tailored requirements for different types of water features. Spas and hot tubs, due to their higher temperatures and intense bather loads, often require more frequent chemical testing and a higher minimum disinfectant level than swimming pools. Wading pools for young children have special design standards to prevent accidental submersion, and their water quality must be carefully managed to prevent the spread of illness among highly susceptible users. Interactive water play features (splash pads) have their own set of compliance standards regarding water recirculation and disinfection to minimize the risk of fecal-oral pathogen transmission.

---

## **CONCLUSION: MAKING COMPLIANCE A PRIORITY**

---

Navigating the **South Carolina DHEC**

**swimming pool regulations** may seem daunting, but it is an essential commitment to public health, safety, and enjoyment. Whether you are a first-time pool builder, a new facility manager, or a seasoned operator, staying informed and proactive is key. The regulations are not simply bureaucratic red tape; they are a proven framework that has been developed over decades to prevent tragedies and disease outbreaks.

By focusing on proper operational planning, rigorous water quality management, meticulous maintenance of safety equipment, and thorough record-keeping, you can build a culture of compliance. Remember, a pool that meets or exceeds DHEC standards is a pool where families can relax, children can learn to swim, and communities can thrive. Always consult with a qualified pool professional and refer directly to the most current DHEC regulations for technical details, as standards can evolve. A clean, safe, and compliant pool is the ultimate reward for your diligence.